

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viginia 22313-1450 www.uspto.gov

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. FILING DATE 2171 08/31/2001 09/943,849 Benoit Laflamme 08/01/2003 John R. Ross, III **EXAMINER** Ross Patent Law Office WALLING, MEAGAN S P.O. Box 2138 Del Mar, CA 92014 ART UNIT PAPER NUMBER 2863

DATE MAILED: 08/01/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

		- un
	Application No.	Applicant(s)
Office Action Summary	09/943,849	LAFLAMME, BENOIT
	Examiner	Art Unit
	Meagan S Walling	2863
The MAILING DATE of this communication appeared for Reply	pears on the cover sheet w	ith the correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a rep If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut - Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).  Status	136(a). In no event, however, may a ly within the statutory minimum of thi will apply and will expire SIX (6) MOI e, cause the application to become A	reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
1) Responsive to communication(s) filed on 12	<i>May 2003</i> .	
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ TI	his action is non-final.	
3) Since this application is in condition for allow closed in accordance with the practice under		
Disposition of Claims  4.\text{NZ} Claim(a) 1.20 is/are pending in the application	•	
<ul> <li>4)    ☐ Claim(s) 1-29 is/are pending in the applicatio</li> <li>4a) Of the above claim(s) is/are withdra</li> </ul>		
5) Claim(s) 18-23 is/are allowed.		
6) ☐ Claim(s) <u>1-6,12-17 and 24-29</u> is/are rejected.		
7)⊠ Claim(s) <u>7-0,72 77 and 27 29</u> is/are rejected.	•	
8) Claim(s) are subject to restriction and/o	or election requirement.	•
Application Papers	,	
9) ☐ The specification is objected to by the Examine	er.	
10) The drawing(s) filed on is/are: a) acce	epted or b) objected to by	the Examiner.
Applicant may not request that any objection to the		
11) The proposed drawing correction filed on is: a) □ approved b) □ disapproved by the Examiner.		
If approved; corrected drawings are required in reply to this Office action.		
12) ☐ The oath or declaration is objected to by the E	xaminer.	
Priority under 35 U.S.C. §§ 119 and 120		
13) Acknowledgment is made of a claim for foreig	n priority under 35 U.S.C.	§ 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority document		
<ul> <li>3. Copies of the certified copies of the price application from the International Be</li> <li>* See the attached detailed Office action for a list</li> </ul>	ureau (PCT Rule 17.2(a)).	
14) Acknowledgment is made of a claim for domes	tic priority under 35 U.S.C	. § 119(e) (to a provisional application).
<ul> <li>a)  The translation of the foreign language pr</li> <li>15)  Acknowledgment is made of a claim for domes</li> </ul>		
Attachment(s)		
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449) Paper No(s)</li> </ol>	5) Notice of	Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)
S. Patent and Tradamark Office		

Art Unit: 2863

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 1, 6, 12, 14-17, 24, 26, and 28-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kashimoto et al. (US 6,137,095) in view of Carmean (US 4,761,539).

With respect to claim 1, Kashimoto et al. teaches a cooking appliance comprising a programmable control module (Fig. 4, Ref. 35), a heating device controlled by the programmable control module (Fig. 4, Ref. 28), a cooking location wherein the heating device is in communication with the cooking location to provide heat to the cooking location (Fig. 4, Ref. 27), and a remote computer in information communication with the programmable control module via a communication link (Fig. 14, Ref. 48).

With respect to claim 6, Kashimoto et al. teaches the cooking system of claim 1 wherein the remote computer (Fig. 14, Ref. 48) communicates programming instructions to the control module (Fig. 14, Ref. 35) via a communication link (Fig. 14, Ref. 9), and wherein said remote computer (Fig. 14, Ref. 48) receives data from the control module (Fig. 14, Ref. 35) via a wireless communication link (Fig. 14, Ref. 9).

With respect to claim 12, Kashimoto et al. teaches the cooking system of claim 1 wherein the cooking appliance is a warmer and the cooking location is a warming area (column 5, lines 49-51).

Art Unit: 2863

With respect to claim 14, Kashimoto et al. teaches the cooking system of claim 1 wherein the cooking appliance is an oven (column 6, line 8).

With respect to claim 15, Kashimoto et al. teaches that the communication link is wireless (column 13, lines 66-67 – column 14, line 1).

With respect to claim 16, Kashimoto et al. teaches the cooking system of claim 1, wherein the remote computer communicates food temperature verification instructions to the programmable control module via the communication link (column 8, lines 21-35).

With respect to claim 17, Kashimoto et al. teaches the cooking system of claim 1 wherein the remote control computer communicates programming instructions to the programmable control module via the wireless communication link (column 6, lines 34-58).

With respect to claim 24, Kashimoto et al. teaches a programmable control module (column 6, lines 21-25), a heating device controlled by the programming control module (column 6, lines 25-33), a cooking location wherein the heating device is in communication with the cooking location to provide heat to the cooking location (column 6, lines 25-33), and a method that comprises inserting programming instructions into a remote computer (column 14, lines 14-21), transmitting programming instructions from the remote computer to the programmable control module via a wireless communication link (column 14, lines 3-7), and utilizing the programming instructions to heat the cooking location with the heating device (column 14, lines 37-40; column 6, lines 25-33).

With respect to claim 28, Kashimoto et al. teaches a programmable control module (Fig. 4, Ref. 35), a heating device controlled by the programmable control module (Fig. 4, Ref. 28), a cooking location wherein the heating device is in communication with the cooking location to

Art Unit: 2863

provide heat to the cooking location (Fig. 4, Ref. 27), a remote computer in information communication with the programmable control module via a wireless communication link (Fig. 14, Ref. 48); and a temperature probe electrically connected to the remote computer to provide temperature information (Fig. 4, Ref. 29).

Regarding claim 29, Kashimoto et al. teaches a programmable control module (Fig. 4, Ref. 35), a heating device controlled by the programmable control module (Fig. 4, Ref. 28), a cooking location wherein the heating device is in communication with the cooking location to provide heat to the cooking location (Fig. 4, Ref. 27), a remote computer in information communication with the programmable control module via a wireless communication link (Fig. 14, Ref. 48), and a temperature probe in information communication with the remote computer, wherein the temperature probe provides temperature information (Fig. 4, Ref. 29).

Kashimoto et al. does not teach that the remote computer communicates calibration instructions to the programmable control module via the communication link (current claims 1, 24, 28, and 29).

Regarding claims 1, 24, 28, and 29, Carmean teaches an oven calibration system that enables the calibration of a device employing an interactive control system (column 1, lines 40-43).

Regarding claim 26, Carmean teaches that the cooking appliance is calibrated based on calibration instructions (column 1, lines 54-58).

It would have been obvious to one skilled in the art at the time of the invention to combine the teachings of Kashimoto et al. with the teachings of Carmean to remotely calibrate an oven. Kashimoto et al. teaches a device capable of remotely controlling cooking. The

Art Unit: 2863

motivation for combining Careman with Kashimoto et al. is to avoid the expense of service calls by remotely controlling the calibration of the oven (see Carmean column 1, lines 21-26).

2. Claims 2, 3, and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kashimoto et al. in view of Sharma et al. (US 2002/0143551).

With respect to claims 2, 3, and 5, the claimed invention differs from Kashimoto et al. in that it recites the limitation of the remote computer being a PDA, a Palm Pilot, or a laptop computer. Kashimoto teaches all that is claimed in claim 1, but does not teach the use of a PDA (current claim 2), a Palm Pilot (current claim 3), or a laptop computer (current claim 5).

Sharma et al. teaches a computing device that can include a mobile computer such as a PDA or a Palm Pilot or, alternately, a personal computer such as a laptop (paragraph 0021). It would have been obvious to anyone skilled in the art at the time of the invention to substitute a PDA, a Palm Pilot, or a laptop for a remote computer. They are all mobile devices capable of processing data (Sharm et al., paragraph 0021), so they would each work equally well to communicate information. The motivation for using a PDA, a Palm Pilot, or a laptop computer is that they are all small and weigh very little, therefore can be easily transported.

3. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kashimoto et al. in view of Birkler et al (US 6,466,951).

With respect to claim 4, the claimed invention differs from Kashimoto et al. in that it recites the limitation of the communication link being an infrared link. Kashimoto et al. teaches everything taught in claim 1, but does not teach the infrared link (current claim 4).

Art Unit: 2863

Birkler et al. teaches connecting a PDA to a personal computer with a wireless link such as an infrared link (column 3, lines 14-16).

It would have been obvious to anyone skilled in the art at the time of the invention to use an infrared link as a communication link. It is well known in the art, as taught by Birkler et al., that an infrared link is an efficient way to transfer data without the use of a wire and so it would be appropriate for the communication link to be an infrared link. The motivation for using an infrared link is that data can be transferred quickly and from many locations without the necessity of a wire.

4. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kashimoto et al. in view of Sargunam et al. (US 6,362,458).

With respect to claim 13, the claimed invention differs from Kashimoto et al. in that it recites the limitation of the cooking appliance being a grill. Kashimoto et al. teaches everything claimed in claim 1 and the use of an oven, but does not teach the use of a grill (current claim 13).

Sargunam et al. teaches a cooking appliance including an oven cavity that can be used to grill food items (column 1, lines 6-8).

It would have been obvious to anyone skilled in the art at the time of the invention to use a grill as a cooking device. Kashimoto et al. teaches an oven as a cooking appliance (column 6, lines 6-8) and Sargunam teaches an oven that can be used to grill, therefore, a grill could be used as a cooking appliance. The motivation for using a grill over an oven is that, in many cases, cooking food on the grill causes better tasting food than cooking it in an oven.

Art Unit: 2863

5. Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kashimoto et al. in view of Sharma et al. and Birkler et al.

With respect to claim 25, the claimed invention differs from Kashimoto et al. in that it recites the limitation of the wireless communication link being infrared and the remote computer being a PDA. Kashimoto et al. teaches everything claimed in claim 24 except the use of an infrared link and a PDA (current claim 25).

Sharma et al. teaches a computing device that can include a PDA (paragraph 0021).

Birkler et al. teaches connecting a PDA to a personal computer with a wireless link such as an infrared link (column 3, lines 14-16).

It would have been obvious to anyone skilled in the art at the time of the invention to substitute a PDA for a remote computer. They are both mobile devices capable of processing data (Sharm et al., paragraph 0021), so they would each work equally well to communicate information. The motivation for using a PDA is that it is small and lightweight and therefore can be taken anywhere. It would have been obvious to anyone skilled in the art at the time of the invention to use an infrared link as a wireless communication link. It is well known in the art, as displayed by Birkler et al., that an infrared link is an efficient way to transfer data without the use of a wire and so it would be appropriate for the communication link to be an infrared link. The motivation for using an infrared link is that data can be transferred quickly and from many locations without the necessity of a wire.

6. Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kashimoto et al. in view of Carmean as applied to claim 16, and further in view of Gunther (US 5,844,209).

Art Unit: 2863

Together Kashimoto et al. and Carmean teach all of the limitations of claim 27 except the limitation that the cooking appliance is calibrated based on food temperature verification data.

Gunther teaches calibration of an oven based on food temperature (column 4, lines 41-43).

It would have been obvious to one skilled in the art at the time of the invention to combine the teachings of Kashimoto et al. and Carmean with the teachings of Gunther.

Caremean calibrates the oven by using the temperature inside the oven, however, to ensure that harmful bacteria are killed and to prevent over or undercooking of food, it is necessary to measure the temperature of the food being cooked (see Gunther, column 1, lines 9-23).

### Allowable Subject Matter

7. Claims 7-11 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter: none of the prior art of record, whether taken singularly or in combination, teaches the claimed invention.

Claim 7 requires a temperature acquisition module in communication with the remote computer via a second communication link, and a temperature probe connected to the temperature acquisition module and in communication with the cooking location, wherein the temperature probe senses the temperature of the cooking location and wherein the sensed temperature is transmitted via the temperature acquisition module to the remote computer.

Art Unit: 2863

Claim 9 requires a temperature acquisition module in communication with the remote computer via a second communication link; and a temperature probe connected to the temperature acquisition module and in communication with food that has been heated within the cooking location and then removed from the cooking location, wherein the temperature probe senses the temperature of the food and wherein the sensed temperature is transmitted via the temperature acquisition module to the remote computer.

### 8. Claims 18-23 are allowed.

The following is an examiner's statement of reasons for allowance: the claims are allowable over the prior art of record because none of the prior art, whether taken singularly or in combination, teaches the claimed invention.

Claim 18 requires B) placing a remote computer in communication with the programmable control module via a wireless communication link, wherein the remote computer comprises: i) a temperature acquisition module in communication with the remote computer via a second communication link, and ii) a temperature probe connected to the temperature acquisition module and in communication with the cooking location, C) heating the cooking location via the heating device until the temperature of the cooking location remains substantially stable for a predetermined period of time, D) sensing the temperature of the cooking location via the temperature probe, E) transmitting the sensed temperature via the temperature acquisition module to the remote computer via the second communication link, F) comparing at the remote computer the set point temperature to the sensed temperature, and G) transmitting from the remote computer to the programmable control module calibration

Art Unit: 2863

instructions based on the results of the comparing of the set point temperature to the sensed temperature.

Claim 20 requires D) sensing the temperature of the food via a remote computer, wherein the remote computer comprises, i) a temperature acquisition module in communication with the remote computer via a communication link, and ii) a temperature probe connected to the temperature acquisition module and in communication with the food, wherein a desired food temperature has been programmed into the remote computer, E) comparing at the remote computer the desired food temperature to the sensed temperature, and F) transmitting from the remote computer to the programmable control module via a wireless communication link calibration instructions based on the results of the comparing of the desired food temperature to the sensed temperature.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Meagan S Walling whose telephone number is (703) 308-3084. The examiner can normally be reached on Monday through Friday 8:30 AM to 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on (703) 308-3126. The fax phone numbers for the

Art Unit: 2863

organization where this application or proceeding is assigned are (703) 872-9318 for regular communications and (703) 872-9319 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

msw July 24, 2003

> John Barlow Supervisory Patent Examiner Technology Center 2800